



Since 1947


**OFFICE SUPPLIES**

**CATALOG 2016**  
REF. 97

[www.acc.ind.br](http://www.acc.ind.br)

# Pins

For sewing with head



Nickel plated steel

Measures			
N°	length mm	Ø wire mm	qty. (50g)
24	24	0,80	460
28	28	0,80	400
29	29	0,65	680
32	32	0,90	270

Push-pins



Pin 11mm - total length 24mm  
Nickel plated steel with colored plastic body

Map Pins



Nickel plated steel with colored plastic head

Measures		
N°	length Total - mm	Ø head mm
1	18	5
3	18	6
5	18	8

Pearlized head dressmaking pins




Nickel plated steel with colored plastic head

Map pins with hexagonal head



Nickel plated steel with hexagonal plastic head in red with label for numbering.  
Measure: Total height 18mm | diameter 15mm

Safety pins



Gold tone brass


Nickel plated steel

# Thumb Tacks



Painted in epoxy colors (n° 4 extra)

Gold tone steel




Measures			
N°		Ø head mm	height mm
4	gold tone	9	7
4 extra	gold tone	9	7
4 extra	colors	9	7

# Magnetic Buttons






# Butterfly Clamps



• Nickel plated steel

Measures		
N°	width mm	height mm
1	45	62
2	32	42

# Paper Clips



## Plastic in colors



Corresponding measures to the above clips

N°	10/0	8/0	6/0	4/0	3/0	2/0	1/0	1	2	3	4	5
Width mm	30	23	18	13	11	11	9	8	8	6	6	5
Length mm	70	57	47	40	36	32	29	31	28	24	20	13

## Binder Clip

Made with painted steel (black) and nickel plated steel



51 mm



41 mm



32 mm

## Standard Binder Clip

Made with galvanized steel



75 mm



25 mm



19 mm



15 mm



95 mm

## Screw Posts

Made with nickel plated steel



### Screw


Measures

- 5 mm
- 10 mm
- 15 mm
- 20 mm
- 25 mm
- 30 mm
- 35 mm
- 40 mm
- 45 mm
- 50 mm
- 60 mm
- 70 mm
- 80 mm
- 90 mm
- 100 mm

### Prolong / Extend



# Stapler Staples



## Specifications

Type	Box	Wire Type	Use	Qty sheets 75g/m <sup>2</sup>
24/6	5.000	galvanized	office / packing	20
24/8	5.000	galvanized	office / packing	30
26/6	1.000	galvanized	office / packing	20
26/6	1.000	copper color extra	office / packing	20
26/6	5.000	copper color extra	office / packing	20
26/6	5.000	galvanized	office / packing	20
26/8	5.000	copper color extra	office / packing	30
Tot 10	1.000	galvanized	office	10
Puncar	1.000	galvanized	office / agriculture	10
106/4	2.500	galvanized	fixing wood	-----
106/6	2.500	galvanized	fixing wood	-----
106/8	2.500	galvanized	fixing wood	-----
106/10	2.500	galvanized	fixing wood	-----
106/4	5.000	galvanized	fixing wood	-----
106/6	5.000	galvanized	fixing wood	-----
106/8	5.000	galvanized	fixing wood	-----
106/10	5.000	galvanized	fixing wood	-----
9/6 - 23/6	1.000	galvanized	office / graphic industry	10 - 30
9/8 - 23/8	1.000	galvanized	office / graphic industry	20 - 50
9/10 - 23/10	1.000	galvanized	office / graphic industry	40 - 70
9/12	1.000	galvanized	office / graphic industry	60 - 90
9/14	1.000	galvanized	office / graphic industry	80 - 110
9/17 - 23/17	1.000	galvanized	office / graphic industry	110 - 140
9/20 - 23/20	1.000	galvanized	office / graphic industry	140 - 170
9/6 - 23/6	5.000	galvanized	office / graphic industry	10 - 30
9/8 - 23/8	5.000	galvanized	office / graphic industry	20 - 50
9/10 - 23/10	5.000	galvanized	office / graphic industry	40 - 70
9/12	5.000	galvanized	office / graphic industry	60 - 90
9/14	5.000	galvanized	office / graphic industry	80 - 110
23/13	1.000	galvanized	office / graphic industry	60 - 90
23/15	1.000	galvanized	office / graphic industry	80 - 110
23/23	1.000	galvanized	office / graphic industry	170 - 200
23/24	1.000	galvanized	office / graphic industry	170 - 200
23/13	5.000	galvanized	office / graphic industry	60 - 90
23/15	5.000	galvanized	office / graphic industry	80 - 110
80/6	5.000	galvanized	fixing wood	-----
80/8	4.000	galvanized	fixing wood	-----
80/10	3.000	galvanized	fixing wood	-----
A13/6	5.000	galvanized	fixing wood	-----
A13/8	5.000	galvanized	fixing wood	-----


### Notes:

The sheet fixing ability referred in this catalog is for reference only and may vary according to the weight of the paper, and the stapler manufacturer's specification.

All ACC staples are treated against oxidation and has sharp tips.

Staples type 106 have divergent tips for better fixation.

Conversion table	
Inch	mm
1/4	6mm
5/16	8mm
3/8	10mm
1/2	12-13mm
9/16	14-15mm
5/8	16-17mm
13/16	20mm
15/16	24mm



sharp tip



divergent tip

# Round-Head Fastener

## Measures

N°	3	4	5	6	7	8	9	10	11	12	13	14	15
Ø Head mm	9	9	9	12	12	12	12	12	14	14	14	14	14
Length mm	17	22	25	28	31	40	48	50	57	63	77	82	100



# Prong Paper Washers

Measures: Ø 13 mm



# Staple Remover

Stainless steel



Length 150mm



Detail: Sharp tips

# Prong Fasteners



## Rail Type 80mm


Made of tinplate (tin plated steel) stem length 50mm capacity to hold up to 300 sheets of paper 75g/m<sup>2</sup>

## Plastic Type 80mm

Made with white plastic stem length 50mm capacity to hold up to 300 sheets of paper 75g/m<sup>2</sup>. To stem length 100mm capacity to hold up to 500 sheets.



# U Type Clamp

Width 80 mm  
Stem length 120mm  
Made of aluminum




Stem with claw

Stem with hole Ø 5 mm




Detail: Claw



\* This image is illustrative: the correct dimensions are described in the captions.

## Memo-Clip



Height 145 mm  
Base Ø 75 mm

## Memo Insert



Tip protector

Height 150 mm  
Base Ø 70 mm

## Staple Remover



Length 55 mm

## Magnetic Clip Dispenser

Height 20 mm  
Base Ø 80 mm



Plastic Body / Black Color

## Bookend

sales in pairs



Width 120 mm

Height 160 mm

Base 100 mm

# Packaging

## Card Box

Notes: The paper clips "card box" are packed internally in sealed plastic satchet.



## Plastic Pot



## Blister



## Flexible Plastic



## Blister



## Blister



## Plastic Box



## Rosette



\* Subject to change without notice.



**ACC Indústria de Artigos para Escritório Ltda.**  
 Rua Vitória, 61 Vila Assunção Santo André SP  
 CEP 09030 050 Brasil

Tel 55 11 4435.7355 Fax 55 11 4435.7350  
 www.acc.ind.br export@acc.ind.br

\* For the latest information see the website.  
 \* The measures cited in this catalog are approximate.

## Representative

